For Research Use Only

GIMAP5 Monoclonal antibody

Catalog Number: 66943-1-Ig



Purification Method:

Basic Information

Catalog Number: GenBank Accession Number:

66943-1-lg BC011732 Protein G purification GeneID (NCBI): Size: CloneNo.:

Full Name:

150ul, Concentration: 2100 ug/ml by 55340 1B6F2 Nanodrop and 1000 ug/ml by Bradford_{UNIPROT ID:} Recommended Dilutions: method using BSA as the standard; Q96F15 WB 1:1000-1:6000 Source: IHC 1:250-1:1000

Mouse GTPase, IMAP family member 5

Isotype: Calculated MW: lgG1 35 kDa Immunogen Catalog Number: Observed MW: AG18045 30-35 kDa

Applications

Positive Controls: **Tested Applications:** WB, IHC, ELISA WB: Jurkat cells,

Species Specificity: IHC: human lymphoma tissue, human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Background Information

GIMAP5 gene encodes immunity-associated nucleotide 5 protein (IAN5) belonging to GTPase immune-associated protein subfamily. GIMAP5 is widely expressed with high levels in lymph node and spleen. The loss of Gimap5 (GTPase of the 5) gene function is the underlying cause of lymphopenia and autoimmune diabetes in the BioBreeding (BB) rat. Mouse gimap5 is necessary for the survival of peripheral T cells, NK/NKT-cell development, hematopoietic progenitor cell survival and the maintenance of normal liver function. GIMAP5 may regulate T lymphocyte survival by mechanisms that operate upstream of mitochondria.

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data



Jurkat cells were subjected to SDS PAGE followed by western blot with 66943-1-1g (GIMAP5 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human lymphoma tissue slide using 66943-1-Ig (GIMAP5 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lymphoma tissue slide using 66943-1-1g (GIMAP5 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).