For Research Use Only

FGFR3 Monoclonal antibody

Catalog Number:66954-1-lg Featured Product

10 Publications



Basic Information

Catalog Number: GenBank Accession Number:

66954-1-lg NM 000142 GeneID (NCBI): Size:

150ul, Concentration: 1500 ug/ml by 2261 Nanodrop: Full Name:

fibroblast growth factor receptor 3

Mouse Calculated MW:

Isotype: 87 kDa

lgG1 Observed MW: Immunogen Catalog Number: 125-135 kDa

AG26290

Applications

Tested Applications:

WB, IF/ICC, ELISA **Cited Applications:** WB, IHC, IF

Species Specificity:

human Cited Species: human, mouse Positive Controls:

WB: LNCaP cells, L02 cells, L-929 cells, HeLa cells, HEK-293 cells, HepG2 cells, A549 cells, NCI-H1299 cells

Purification Method:

CloneNo.:

1F3G1

Protein G purification

Recommended Dilutions:

WB 1:5000-1:50000

IF/ICC 1:200-1:800

IF/ICC: HepG2 cells,

Background Information

Fibroblast growth factors (FGFs) are polypeptide growth factors involved in a variety of activities including mitogenesis, angiogenesis, and wound healing (PMID: 1847508). The human FGF receptor family, a subfamily of receptor tyrosine kinases (RTKs), comprises of four family members-FGFR1, FGFR2, FGFR3, and FGFR4 (PMID: 23900974). Each receptor contains an extracellular domain with either two or three immunoglobulin-like domains, a transmembrane domain, and a cytoplasmic tyrosine kinase domain. FGFR3 binds acidic and basic fibroblast GH and plays a role in bone development and maintenance. Mutations in the FGFR3 gene lead to craniosynostosis and multiple types of skeletal dysplasia. Due to frequent mutations in certain cancers, the FGFR3 gene has also been associated with tumor progression.

Notable Publications

Author	Pubmed ID	Journal	Application
Liang Kuang	31662319	Ann Rheum Dis	WB
Limin Wang	36305369	Tissue Eng Part A	IF
Fake Liao	34787070	Bioengineered	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


*** 20ul sizes contain 0.1% BSA

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 66954-1-1g (FGFR3 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using FGFR3 antibody (66954-1-lg, Clone: 1F3G1) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using FGFR3 antibody (66954-1-lg, Clone: 1F3G1) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(H+L).



L-929 cells were subjected to SDS PAGE followed by western blot with 66954-1-1g (FGFR3 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.