

For Research Use Only

NEU3 Monoclonal antibody

Catalog Number: 67098-1-Ig

Featured Product



Basic Information

Catalog Number:

67098-1-Ig

GenBank Accession Number:

NM_006656.5

Purification Method:

Protein A purification

Size:

150ul , Concentration: 1800 ug/ml by
Nanodrop and 1000 ug/ml by Bradford
method using BSA as the standard;

GeneID (NCBI):

10825

CloneNo.:

2C9C5

Source:

Mouse

UNIPROT ID:

Q9UQ49

Recommended Dilutions:

WB 1:1000-1:4000

IHC 1:50-1:500

Isotype:

IgG2a

Full Name:

sialidase 3 (membrane sialidase)

Calculated MW:

48 kDa

Immunogen Catalog Number:

AG27272

Observed MW:

48-52 kDa

Applications

Tested Applications:

WB, IHC, ELISA

Species Specificity:

Human

Positive Controls:

WB : PC-3 cells, COLO 320 cells, HT-29 cells, K-562
cells, THP-1 cells, Caco-2 cells

IHC : human pancreas cancer tissue,

**Note-IHC: suggested antigen retrieval with
TE buffer pH 9.0; (*) Alternatively, antigen
retrieval may be performed with citrate
buffer pH 6.0**

Storage

Storage:

Store at -20°C.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech
Group brand and is not available to purchase from any
other manufacturer.


Selected Validation Data



WB result of NEU3 antibody (67098-1-Ig; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-NEU3 transfected PC-3 cells.



Various lysates were subjected to SDS PAGE followed by western blot with 67098-1-Ig (NEU3 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human pancreas cancer tissue slide using 67098-1-Ig (NEU3 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).