## For Research Use Only

## SAP102 Monoclonal antibody

Catalog Number: 67102-1-Ig



**Basic Information** 

Catalog Number: GenBank Accession Number:

67102-1-lg BC093864 Protein G purification GeneID (NCBI): Size: CloneNo.:

150ul, Concentration: 1900 ug/ml by 1741 1F6A10 Nanodrop and 1000 ug/ml by Bradford<sub>UNIPROT ID:</sub> Recommended Dilutions:

method using BSA as the standard; Q92796 WB 1:1000-1:6000 Source: IHC 1:250-1:1000 Full Name:

Mouse discs, large homolog 3 (Drosophila)

Isotype: Calculated MW: lgG1 817 aa, 90 kDa Immunogen Catalog Number: Observed MW: AG28589 90-100 kDa

**Applications** 

**Tested Applications:** 

WB, IHC, ELISA

Species Specificity: Human, Pig, Mouse, Rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Positive Controls:** 

WB: pig brain tissue, mouse cerebellum tissue, rat

**Purification Method:** 

brain tissue

IHC: mouse brain tissue,

## **Background Information**

Synapse-associated protein 102 (SAP102), also known as DLG3, is a MAGUK that is highly expressed early in development and mediates receptor trafficking during synaptogenesis. The importance of SAP102 function in brain development is demonstrated by the fact that SAP102 mutations have been identified in human patients with nonsyndromic X-linked mental retardation (XLMR).SAP102 has critical roles in early cortical synapse development.

Storage

Storage: Store at -20°C.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com


## **Selected Validation Data**



mouse cerebellum tissue were subjected to SDS PAGE followed by western blot with 67102-1-1g (SAP102 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



pig brain tissue were subjected to SDS PAGE followed by western blot with 67102-1-lg (SAP102 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 67102-1-Ig (SAP102 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 67102-1-Ig (SAP102 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).