## For Research Use Only

## SEC63 Monoclonal antibody

Catalog Number: 67352-1-Ig



**Basic Information** 

Catalog Number: GenBank Accession Number:

67352-1-lg BC047221 GeneID (NCBI): Size:

150ul, Concentration: 1700 ug/ml by 11231 Nanodrop and 1000 ug/ml by Bradford<sub>UNIPROT ID:</sub> method using BSA as the standard; Q9UGP8

Source: Full Name:

Mouse SEC63 homolog (S. cerevisiae)

Isotype: Calculated MW: lgG1 88 kDa Immunogen Catalog Number: Observed MW: AG5783 90 kDa

**Purification Method:** 

Protein G purification

CloneNo.: 1C10E1

Recommended Dilutions: WB 1:5000-1:50000 IF/ICC 1:200-1:800

**Applications** 

**Tested Applications: Positive Controls:** 

WB, IF/ICC, ELISA WB: HEK-293 cells, HepG2 cells, Jurkat cells, K-562 Species Specificity:

Human IF/ICC: HEK-293 cells,

**Background Information** 

SEC63 is a integral endoplasmic reticulum (ER) membrane protein. SEC63 and SEC62 form a dimeric complex and play a central role in translocation of nascent and newly synthesized precursor polypeptides into the ER. Mutations in the gene encoding SEC63 cause polycystic liver disease in humans. The intact SEC63 protein is usually detected around 83-90 kDa, while smaller cleavage products can be observed by autophagy proteolysis (PMID: 25052096)

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

in USA), or 1(312) 455-8498 (outside USA)

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 67352-1-1g (SEC63 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed HEK-293 cells using SEC 63 antibody (67352-1-lg, Clone: 1C10E1) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(H+L).