For Research Use Only

SPAST Monoclonal antibody, PBS Only



Purification Method:

Protein A purification

CloneNo.:

1F5A7

Catalog Number: 67361-1-PBS

Basic Information

Catalog Number: 67361-1-PBS

Nanodrop:

lgG2b

GenBank Accession Number:

BC150260

GeneID (NCBI):

100ug, Concentration: 1 mg/ml by

UNIPROT ID: Q9UBP0

Mouse Full Name: Isotype: spastin

Calculated MW: Immunogen Catalog Number: 616 aa, 67 kDa AG18866

Observed MW:

55 kDa

Applications

Tested Applications:

WB, IF, IHC, Indirect ELISA

Species Specificity:

Human, mouse


Background Information

SPAST encodes a microtubule-severing protein called spastin. By severing microtubules into small segments, SPAST participates in the regeneration of neurites. Mutations in the SPAST gene (previously known as SPG4) are the most common causes of hereditary spastic paraplegia (HSP-SPG4). Mammalian cells express at least two spastin isoforms, a less-abundant full-length form (M1-spastin, 68 kDa) and a more highly expressed isoform (M87-spastin, $60\,kDa$) that lacks the N-terminal $86\,a$ mino acids of the full-length protein. Also, there are two additional $64\,kDa$ and 55 kDa isoforms due to alternative splicing of SPG4 exon 4. This antibody recognizes all these isoforms of spastin.

Storage

Storage: Store at -80°C. Storage Buffer: PBS Only


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 67361-1-lg (SPAST antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 67361-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 67361-1-Ig (SPAST antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67361-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 67361-1-Ig (SPAST antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67361-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using SPAST antibody (67361-1-1g, Clone: 1F5A7) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 67361-1-PBS in a different storage buffer formulation.