For Research Use Only

PROX1 Monoclonal antibody

Catalog Number: 67438-1-lg 1 Publications



Basic Information

Catalog Number: GenBank Accession Number:

67438-1-lg BC024201 GeneID (NCBI): Size:

150ul, Concentration: 2000 ug/ml by 5629 Nanodrop and 1000 ug/ml by $Bradford_{\mbox{UNIPROT ID}}$: method using BSA as the standard; Q92786

Source: Full Name: Mouse

prospero homeobox 1 Isotype: Calculated MW: IgG2b 737 aa, 83 kDa Immunogen Catalog Number: Observed MW: AG9681 90 kDa

Purification Method: Protein A purification

CloneNo.: 1D4B1

Recommended Dilutions:

WB 1:1000-1:6000 IHC 1:2000-1:8000 IF/ICC 1:400-1:1600

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA Species Specificity:

human, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HuH-7 cells, rat liver tissue IHC: human lung cancer tissue,

IF/ICC: HuH-7 cells,

Background Information

PROX1, Prospero homeobox protein 1, belongs to the Prospero homeobox family and contain a Prospero-type homeobox DNA-binding domain. PROX1 plays a fundamental role in early development of CNS and regulates the expression of gene and development of postmitotic, undifferentiated neurons. Also, PROX1 is a required regulator of the development of the lymphatic system. This antibody is raised against part of C-terminal chain of human PROX1. The calculated molecular weight of PROX1 is 83 kDa, but with post-translational modifications, PROX1 is about 90

Notable Publications

Author Pubmed ID Journal Application Wenxiu Dai 38272027 Dev Cell

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1%BSA


Selected Validation Data




HuH-7 cells were subjected to SDS PAGE followed by western blot with 67438-1-1g (PROX1 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 67438-1-1g (PROX1 antibody) at dilution of 1:4000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 67438-1-1g (PROX1 antibody) at dilution of 1:4000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HuH-7 cells using PROX1 antibody (67438-1-lg, Clone: 1D4B1) at dilution of 1:800 and CoraLite@488-Conjugated Goat Anti-Mouse IgG(H+L) (SA00013-1), CL594-Phalloidin (red).