For Research Use Only

STK32A Monoclonal antibody

Catalog Number: 67528-1-lg



Basic Information

Catalog Number: GenBank Accession Number:

67528-1-lg BC021666 GeneID (NCBI): Size: 150ul, Concentration: 1700 ug/ml by 202374 Nanodrop and 1000 ug/ml by Bradford_{UNIPROT ID:}

method using BSA as the standard; Q8WU08 Source: Full Name:

Mouse serine/threonine kinase 32A

Isotype: Calculated MW:

IgG2a 396aa,46 kDa; 166aa,20 kDa

Immunogen Catalog Number: Observed MW: AG10942 50 kDa

Purification Method: Protein A purification

1H2A6

CloneNo.:

Recommended Dilutions: WB 1:2000-1:10000 IHC 1:500-1:2000

Applications

Tested Applications: WB, IHC, ELISA

Species Specificity:

Human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: A549 cells, HeLa cells, MCF-7 cells, T-47D cells,

JAR cells

IHC: human colon cancer tissue, human breast cancer

tissue

Storage


Storage: Store at -20°C. Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



A549 cells were subjected to SDS PAGE followed by western blot with 67528-1-1g (STK32A antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



HeLa cells were subjected to SDS PAGE followed by western blot with 67528-1-1g (STK32A antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 67528-1-Ig (STK32A antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).