For Research Use Only

MYL4 Monoclonal antibody, PBS Only

Catalog Number: 67533-1-PBS



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method:

67533-1-PBS

GeneID (NCBI):

BC030228

Protein A purification

Size:

lgG2b

AG19244

100ug , Concentration: 1mg/ml by 4635

Jeneid (NCBI):

CloneNo.: 2F5C1

Nanodrop;

UNIPROT ID: P12829

Mouse Isotype:

myosin, light chain 4, alkali; atrial,

embryonic

Full Name:

Immunogen Catalog Number:

Calculated MW:

197 aa, 22 kDa

Observed MW: 22-25 kDa

Applications

Tested Applications:

WB, IHC, IF-P, ELISA

Species Specificity:

Human, mouse, rat, pig

Background Information

Myosin light-chain 4 (MYL4) encodes an essential myosin light chain that is expressed in embryonic whole heart and skeletal muscle. It is specifically expressed in human atria after birth. MYL4 is essential for atrial electrical, functional, and structural integrity, and MYL4 dysfunction can produce severe inherited atrial cardiomyopathy.


Storage

Storage:

Store at -80°C.

Storage Buffer: PBS Only


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 67533-1-lg (MYL4 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 67533-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human heart tissue slide using 67533-1-Ig (MYL4 antibody) at dilution of 1:300 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67533-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed mouse heart tissue using MYL4 antibody (67533-1-Ig, Clone: 2F5C1) at dilution of 1:400 and CoraLite® 488-Conjugated Affini Pure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 67533-1-PBS in a different storage buffer formulation.



1X10^6 C2C12 cells were intracellularly stained with 0.4 ug Anti-Human MYL4 (67533-1-1g, Clone:2F5C1) and Coralite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 67533-1-PBS in a different storage buffer formulation.