## For Research Use Only

## GRP75 Monoclonal antibody

Catalog Number: 67563-1-Ig



**Basic Information** 

Catalog Number: GenBank Accession Number:

67563-1-lg BC000478 Protein A purification GeneID (NCBI): CloneNo.: Size:

2B12F2 150ul, Concentration: 1800 ug/ml by 3313

Nanodrop and 1000 ug/ml by  $Bradford_{\mbox{UNIPROT ID}}$ : **Recommended Dilutions:** method using BSA as the standard; WB 1:2000-1:10000 IHC 1:500-1:2000 Source: **Full Name:** 

Mouse heat shock 70kDa protein 9 (mortalin)

Isotype: Calculated MW: IgG2a 74 kDa Immunogen Catalog Number: Observed MW:

AG7125 75 kDa

**Applications** 

**Tested Applications:** 

WB, IHC, ELISA Species Specificity: Human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HeLa cells, HepG2 cells, HEK-293 cells, MCF-7 cells, Jurkat cells, K-562 cells, HSC-T6 cells, 4T1 cells,

**Purification Method:** 

NIH/3T3 cells

IHC: human breast cancer tissue,

## **Background Information**

GRP75 (also known as mortalin, HSPA9 or mt-Hsp70) is a constitutively expressed member of the HSPA (HSP70) family of heat-shock proteins. It is located in the mitochondrial matrix and anti-GRP75 is commonly used as the marker for mitochondria. It has been reported that GRP75 is enriched in cancer cells and contributes to carcinogenesis. In addition, decreased expression level of GRP75 has been found in neurodegenerative disorders like Parkinson's disease. (PMID: 21640711, 229209024)

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1%BSA

in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com


## **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 67563-1-1g (GRP75 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 67563-1-1g (GRP75 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 67563-1-1g (GRP75 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).