

For Research Use Only

PNLIPRP1 Monoclonal antibody

Catalog Number: 67603-1-Ig



Basic Information

Catalog Number: 67603-1-Ig	GenBank Accession Number: BC025784	Purification Method: Protein A purification
Size: 150ul , Concentration: 1000 µg/ml by Nanodrop and 500 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 5407	CloneNo.: 1F11E6
Source: Mouse	Full Name: pancreatic lipase-related protein 1	Recommended Dilutions: WB 1:5000-1:50000 IHC 1:500-1:2000
Isotype: IgG2b	Calculated MW: 467 aa, 52 kDa	
Immunogen Catalog Number: AG26350	Observed MW: 51 kDa	

Applications

Tested Applications:

IHC, WB, ELISA

Species Specificity:

Human, mouse, rat, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : pig pancreas tissue, rat pancreas tissue, mouse pancreas tissue

IHC : rat pancreas tissue,

Background Information

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Immunohistochemical analysis of paraffin-embedded rat pancreas tissue slide using 67603-1-Ig (PNLI PRP1 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded rat pancreas tissue slide using 67603-1-Ig (PNLI PRP1 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



pig pancreas tissue were subjected to SDS PAGE followed by western blot with 67603-1-Ig (PNLI PRP1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.