

For Research Use Only

CD226 Monoclonal antibody

Catalog Number: 67653-1-Ig



Basic Information

Catalog Number: 67653-1-Ig	GenBank Accession Number: BC074787	Purification Method: Protein G purification
Size: 150ul , Concentration: 1600 µg/ml by Nanodrop and 1000 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 10666	CloneNo.: 7G7A4
Source: Mouse	Full Name: CD226 molecule	Recommended Dilutions: WB 1:1000-1:6000
Isotype: IgG1	Calculated MW: 336 aa, 39 kDa	
Immunogen Catalog Number: AG12403	Observed MW: 65 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls: WB : human peripheral blood platelets,
Species Specificity: Human	

Background Information

CD226 (DNAM-1) is a ~65 kDa glycoprotein expressed on the surface of NK cells, platelets, monocytes and a subset of T cells. It is a member of the Ig-superfamily containing 2 Ig-like domains of the V-set. CD226 mediates cellular adhesion of platelets and megakaryocytic cells to vascular endothelial cells. The protein also plays a role in megakaryocytic cell maturation. Interactions of CD226 and its ligands, CD155 and CD112, induce NK and T cell-mediated cytotoxicity and cytokine secretion (PMID: 15039383).

Storage


Storage:
Store at -20°C.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



human peripheral blood platelets were subjected to SDS PAGE followed by western blot with 67653-1-Ig (CD226 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.