

For Research Use Only

# RNMT Monoclonal antibody

Catalog Number: 67673-1-Ig



## Basic Information

<b>Catalog Number:</b> 67673-1-Ig	<b>GenBank Accession Number:</b> BC036798	<b>Purification Method:</b> Protein A purification
<b>Size:</b> 150ul , Concentration: 1000 µg/ml by Nanodrop and 497 µg/ml by Bradford method using BSA as the standard;	<b>GeneID (NCBI):</b> 8731	<b>CloneNo.:</b> 3F1C9
<b>Source:</b> Mouse	<b>Full Name:</b> RNA (guanine-7-) methyltransferase	<b>Recommended Dilutions:</b> WB 1:2000-1:10000
<b>Isotype:</b> IgG1	<b>Calculated MW:</b> 476 aa, 55 kDa	
<b>Immunogen Catalog Number:</b> AG6953	<b>Observed MW:</b> 55 kDa	

## Applications

**Tested Applications:**  
WB, ELISA

**Species Specificity:**  
Human, mouse

**Positive Controls:**  
WB : LNCaP cells, HeLa cells, HEK-293 cells, HepG2 cells, Jurkat cells, K-562 cells

## Background Information

RNMT, also named as mRNA cap guanine-N7 methyltransferase or KIAA0398, is a 476 amino acid protein, which contains one mRNA cap 0 methyltransferase domain and belongs to the class I-like SAM-binding methyltransferase superfamily. mRNA cap 0 methyltransferase family. RNMT localizes in the nucleus and is widely expressed in various tissues. RNMT as a mRNA-capping methyltransferase that methylates the N7 position of the added guanosine to the 5'-cap structure of mRNAs and binds RNA containing 5'-terminal GpppC.

## Storage

**Storage:**  
Store at -20°C. Stable for one year after shipment.

**Storage Buffer:**  
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


*Aliquoting is unnecessary for -20°C storage*

\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)  
E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 67673-1-Ig (RNMT antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.