For Research Use Only

ANP32A Monoclonal antibody

Catalog Number:67687-1-lg 1 Publications




Basic Information	Catalog Number: 67687-1-lg			Purification Method: Protein A purification			
	Size: 150ul, Concentration: 1000 ug/ml by Nanodrop and 500 ug/ml by Bradford method using BSA as the standard; Source: Mouse Isotype: IgG2a Immunogen Catalog Number: AG8546			CloneNo.: 2D8C5 Recommended Dilutions: WB 1:2000-1:10000 IHC 1:200-1:800 IF/ICC 1:200-1:800			
					Full Name: acidic (leucine-rich) nuclear		
					phosphoprotein 32 family, member A Calculated MW:		
		249 aa, 29 kD	а				
		Observed MW 29 kDa	<i>l</i> :				
		Applications	Tested Applications:		Positive Controls:		
			WB, IHC, IF/ICC, ELISA Cited Applications: WB			WB : A 549 cells, HSC-T6 cells, HuH-7 cells, HeLa cell Raji cells, Jurkat cells, Sp2/0 cells	
					IHC : mouse l	orain tissue, human kidney tissue	
Species Specificity: human, mouse, rat			IF/ICC : A431 cells,				
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0							
Background Information	ANP32A, an acidic leucine-rich nuclear phosphoprotein, is a member of the inhibitor of the histone acetyltransferas (INHAT) complex and preferentially binds to unmodified histone H3 tails in vitro. ANP32A is expressed in normal tissues as well as in pancreatic, breast and prostate cancer and other malignant tumors. ANP32A plays an importan role in cell proliferation, apoptosis, transcriptional regulation, signal transduction and other processes.						
Notable Publications	Author Pub	med ID	Journal	Application			
		36988	Sci Adv	WB			


For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 67687-1-1g (ANP32A antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 67687-1-Ig (ANP32A antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 67687-1-Ig (ANP32A antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed A431 cells using ANP32A antibody (67687-1-lg, Clone: 2D8C5) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L), CL594-Phalloidin (red). Immunofluorescent analysis of (4% PFA) fixed A431 cells using ANP32A antibody (67687-1-1g, Clone: 2D8C5) at dilution of 1:800 and Multi-rAb CoraLite ® Plus 488-Goat Anti-Mouse Recombinant Secondary Antibody (H+L) (RGAM002), CL594-Phalloidin (red).