For Research Use Only

FXR1 Monoclonal antibody, PBS Only

Catalog Number:67813-1-PBS **Featured Product**



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method:

1E12E8

67813-1-PBS

GeneID (NCBI):

Protein A purification

BC028983

CloneNo.:

100ug, Concentration: 1 mg/ml by Nanodrop:

UNIPROT ID:

Mouse

P51114 Full Name:

Isotype:

fragile X mental retardation, autosomal homolog 1

lgG1

Calculated MW:

Immunogen Catalog Number: AG27800

621 aa, 70 kDa Observed MW: 70-80 kDa

Applications

Tested Applications:

WB, IHC, IF/ICC, IF-P, IP, ELISA

Species Specificity:

human, mouse, rat


Background Information

Tumour necrosis factor-alpha (TNF-alpha) is a key mediator of inflammation in host defence against infection and in autoimmune disease. Its production is controlled post-transcriptionally by multiple RNA-binding proteins that interact with the TNF-alpha AU-rich element and regulate its expression; Fragile X mental retardation-related protein 1 (FXR1) is one of these. FXR1 (fragile-X-mental retardation-related protein 1) are RNA-binding proteins that have been demonstrated to impact miRNA-mediated, post-transcriptional gene regulation, and required for embryonic and postnatal development of muscle tissue. It can regulate intracellular transport and local translation of certain mRNAs. The FXR1 exists some isoforms with the MW 69 kDa and 60 kDa.


Storage

Storage: Store at -80°C. Storage Buffer: PBS Only


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 67813-1-1g (FXR1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Beta Actin Monoclonal antibody (HRP-66009) as loading control. This data was developed using the same antibody clone with 67813-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 67813-1-Ig (FXR1 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67813-1-PBS in a different storage buffer formulation.




Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using FXR1 antibody (67813-1-Ig, Clone: 1E12E8) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 67813-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Methanol) fixed Hela cells using FXR1 antibody (67813-1-lg, Clone: 1E12E8) at dilution of 1:400 and Coralite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 67813-1-PBS in a different storage buffer formulation.



IP result of anti-FXR1 (IP:67813-1-Ig, 5ug; Detection:67813-1-Ig 1:1000) with K-562 cells lysate 3680 ug. This data was developed using the same antibody clone with 67813-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Methanol) fixed Hela cells using FXR1 antibody (67813-1-lg, Clone: 1E12E8) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 67813-1-PBS in a different storage buffer formulation.