For Research Use Only

AFP Monoclonal antibody

Catalog Number: 67852-1-Ig



Purification Method:

Protein A purification

Recommended Dilutions:

WB 1:5000-1:50000

Basic Information

Catalog Number: GenBank Accession Number:

67852-1-lg BC027881
Size: Genel D (NCBI):

Size: Genel D (NCBI): CloneNo.: 150ul , Concentration: 1000 µg/ml by 174 4B3E4

Nanodrop; Full Name:
Source: alpha-fetoprotein
Mouse Calculated MW:
Isotype: 69 kDa
IgG1 Observed MW:
Immunogen Catalog Number: 68-72 kDa

AG6089

Tested Applications: Positive Controls:

WB : HepG2 cells, HuH-7 cells, human testis tissue,

Species Specificity: human placenta tissue Human

Background Information

AFP, also known as Alpha-fetoprotein, is a major plasma protein in the fetus and its concentration is very low in the adult (PubMed:24120489). AFP is considered a marker of hepatocyte precursors. AFP can be detected at abnormally high concentrations in hepatocellular carcinomas as well as in the plasma and ascitic fluid of adults with hepatoma. High AFP concentrations have been correlated with tumor cell growth, indicating that AFP can serve as a tumor marker (PubMed: 18669658).

Storage

Applications

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data




HepG2 cells were subjected to SDS PAGE followed by western blot with 67852-1-Ig (AFP antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




HuH-7 cells were subjected to SDS PAGE followed by western blot with 67852-1-Ig (AFP antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours




human testis tissue were subjected to SDS PAGE followed by western blot with 67852-1-1g (AFP antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



human placenta tissue were subjected to SDS PAGE followed by western blot with 67852-1-lg (AFP antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 67852-1-Ig (AFP antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 67852-1-Ig (AFP antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).