

For Research Use Only

ARL8B Monoclonal antibody

Catalog Number: 67891-1-Ig



Basic Information

Catalog Number: 67891-1-Ig	GenBank Accession Number: BC013131	Purification Method: Protein A purification
Size: 150ul , Concentration: 1000 µg/ml by Nanodrop;	GeneID (NCBI): 55207	CloneNo.: 2G10E2
Source: Mouse	Full Name: ADP-ribosylation factor-like 8B	Recommended Dilutions: WB 1:5000-1:50000
Isotype: IgG2a	Calculated MW: 186 aa, 22 kDa	
Immunogen Catalog Number: AG3711	Observed MW: 22 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls: WB : K-562 cells, Jurkat cells, HSC-T6 cells, NIH/3T3 cells, LNCaP cells, pig brain tissue, rat brain tissue
Species Specificity: Human, mouse, rat, pig	

Background Information

ARL8B (ADP-ribosylation factor-like 8B) , also known as ARL10C or GIE1, is a small GTPase of the Arl-family, that is associated with the lysosome. ARL8A interacts with Tubulin, and plays a role in lysosome motility, as well as in chromosomal segregation. ARL8B plays a role in the spatial distribution and positioning of lysosomes. ARL8B is regarded as a regulator of endosome to lysosome trafficking pathways of special significance for host defense.

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 67891-1-Ig (ARL8B antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control.



LNCaP cells were subjected to SDS PAGE followed by western blot with 67891-1-Ig (ARL8B antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.