

For Research Use Only

GARS Monoclonal antibody

Catalog Number: 67893-1-Ig **Featured Product**



Basic Information

Catalog Number: 67893-1-Ig	GenBank Accession Number: BC007755	Purification Method: Protein A purification
Size: 150ul , Concentration: 1000 µg/ml by Nanodrop;	GeneID (NCBI): 2617	CloneNo.: 2H9D3
Source: Mouse	Full Name: glycyl-tRNA synthetase	Recommended Dilutions: WB 1:5000-1:50000 IHC 1:1000-1:4000 IF 1:200-1:800
Isotype: IgG2a	Calculated MW: 739 aa, 83 kDa	
Immunogen Catalog Number: AG8432	Observed MW: 75-80 kDa	

Applications

Tested Applications:

IF, IHC, WB, ELISA

Species Specificity:

Human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: LNCaP cells, HepG2 cells, HeLa cells HEK-293 cells HepG2 cells Jurkat cells K-562 cells HSC-T6 cells NIH/3T3 cells

IHC: human skin cancer tissue,

IF: A431 cells,

Background Information

Glycyl-tRNA synthetase 1 (GARS, GeneID:2617) is one of the aminoacyl-tRNA synthetases. It is essential for protein synthesis in all cells and tissues (PMID: 17035524) and charges tRNA molecules with glycine by catalyzing the ATP-dependent ligation of glycine to the 3'-end of its cognate tRNA via the formation of an aminoacyl-adenylate intermediate (Gly-AMP) (PMID: 17544401, PMID: 28675565, PMID: 24898252). GARS is located in cytoplasm, but also can be secreted from cells and as an extracellular protein which may influence cell signaling. Mutation of GARS causes peripheral neuropathies such as CMT2D, SMA (PMID: 26503042, PMID: 32181591), or associates with cancer. Two transcript variants encoding different isoforms have been found for this gene. The molecular weight of isoform2 is about 78 kDa.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

***** 20ul sizes contain 0.1% BSA**


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 67893-1-Ig (GARS antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Alpha Tubulin Monoclonal antibody (HRP-66031) as loading control.



WB result of GARS antibody (67893-1-Ig: 1:40000; incubated at room temperature for 1.5 hours) with sh-Control and sh-GARS transfected HepG2 cells.



Immunohistochemical analysis of paraffin-embedded human skin cancer tissue slide using 67893-1-Ig (GARS antibody) at dilution of 1:2000 (under 40x lens).



Immunofluorescent analysis of (-20°C Methanol) fixed A431 cells using GARS antibody (67893-1-Ig, Clone: 2H9D3) at dilution of 1:400 and CoraLite@488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).