For Research Use Only

FcRn Monoclonal antibody, PBS Only

Catalog Number: 67944-1-PBS



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method:

67944-1-PBS

GeneID (NCBI):

Protein G purification

Size:

CloneNo.:

2H4A5

100ug, Concentration: 1 mg/ml by Nanodrop;

BC008734

UNIPROT ID:

P55899

Source: Mouse

Full Name:

Isotype:

Fc fragment of IgG, receptor, transporter, alpha

lgG1 Immunogen Catalog Number:

Calculated MW:

AG31173

40 kDa

Observed MW:

35-40 kDa

Applications

Tested Applications:

WB, IHC, Indirect ELISA

Species Specificity:

Human

Background Information

The neonatal Fc receptor for IgG (FcRn) is a membrane-associated receptor which acts as a key determinant of IgG homeostasis. FcRn is similar in structure to major histocompatibility class I molecules. It is a heterodimer composed of a alpha chain associated with β2-microglobulin. FcRn transfers IgG from the mother to the fetus across the placenta and the proximal small intestine. In addition, throughout life, FcRn protects IgG from degradation and thus regulates the serum half-life of IgG (PMID: 17703228).


Storage

Storage: Store at -80°C.

Storage Buffer:

PBS Only


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 67944-1-lg (FcRn antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 67944-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 67944-1-Ig (FcRn antibody) at dilution of 1:10000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67944-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 67944-1-Ig (FcRn antibody) at dilution of 1:10000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67944-1-PBS in a different storage buffer formulation.