For Research Use Only

GPHN Monoclonal antibody

Catalog Number:67995-1-lg




Basic Information	Catalog Number: 67995-1-lg	GenBank Accession Number: BC030016	Purification Method: Protein G purification	
	Size: 150ul , Concentration: 1000 ug/ml by	GenelD (NCBI):	CloneNo.: 1D7C4	
	Nanodrop; Source: Mouse Isotype: IgG1 Immunogen Catalog Number: AG23708	UNIPROT ID: Q9NQX3 Full Name: gephyrin Calculated MW: 769 aa, 83 kDa Observed MW: 93 kDa	Recommended Dilutions: WB 1:5000-1:50000	
Applications	Tested Applications: WB, ELISA Species Specificity: Human	WB: A549	Positive Controls: WB : A549 cells, LNCaP cells, HeLa cells, HEK-293 cells, Jurkat cells	
Background Information	Gephyrin (GPHN) is an organizational protein that clusters and localizes the inhibitory glycine receptor (GlyR) and GABAA receptors to the microtubular matrix of the neuronal postsynaptic membrane. Mice deficient in gephyrin develop a hereditary molybdenum cofactor deficiency and a neurological phenotype that mimics startle disease (hyperekplexia). In non-neuronal tissues, the encoded protein is also required for molybdenum cofactor biosynthesis. Two isoforms produced by alternative splicing have been described. The observed MW of Gephyrin is 93 kDa, larger than the predicated of 83 kDa, which may be due to the modifications on various phosphorylation sites.			
Storage	Storage: Store at -20°C. Stable for one year after Storage Buffer: PBS with 0.02% sodium azide and 50°	•		
	Aliquoting is unnecessary for -20°C st	torage		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 67995-1-lg (GPHN antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Alpha Tubulin Monoclonal antibody (HRP-66031) as loading control.