

GNAO1 Monoclonal antibody

Catalog Number: 68027-1-Ig

Basic Information

Catalog Number: 68027-1-Ig	GenBank Accession Number: BC030027	Purification Method: Protein G purification
Size: 150ul , Concentration: 1000 µg/ml by Nanodrop;	GeneID (NCBI): 2775	CloneNo.: 1B5G2
Source: Mouse	Full Name: guanine nucleotide binding protein (G protein), alpha activating activity polypeptide O	Recommended Dilutions: IHC 1:1000-1:4000
Isotype: IgG1	Calculated MW: 302 aa, 35 kDa	
Immunogen Catalog Number: AG32045	Observed MW: 40 kDa	

Applications

Tested Applications:

IHC, WB, ELISA

Species Specificity:

Mouse, Rat, Rabbit, Pig, Chicken, Human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : pig brain tissue, rabbit brain tissue, rat brain tissue, mouse brain tissue, chicken brain tissue, rat cerebellum tissue

IHC : human gliomas tissue,

Background Information

GNAO1 gene encodes the α subunit of heterotrimeric guanine nucleotide-binding protein (G α protein), a membrane protein widely expressed in the central nervous system involved in signal transduction (PMID: 30642806). GNAO1 belongs to the G- α family and G(i/o/t/z) subfamily. GNAO1 is highly expressed in brain and modulate neuronal excitability (PMID: 30838255). GNAO1 has 2 isoforms with the molecular mass of 40 kDa.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 68027-1-Ig (GNAO1 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with Lamin B1 Monoclonal antibody (66095-1-Ig) as loading control.



Immunohistochemical analysis of paraffin-embedded human gliomas tissue slide using 68027-1-Ig (GNAO1 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed rat cerebellum tissue using GNAO1 antibody (68027-1-Ig, Clone: 1B5G2) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).