

For Research Use Only

LPIN1 Monoclonal antibody

Catalog Number: 68124-1-Ig **1 Publications**



Basic Information

Catalog Number: 68124-1-Ig	GenBank Accession Number: BC030537	Purification Method: Protein A purification
Size: 150ul , Concentration: 1000 µg/ml by Nanodrop and 628 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 23175	CloneNo.: 3G11B10
Source: Mouse	Full Name: lipin 1	Recommended Dilutions: WB 1:2000-1:10000 IHC 1:2000-1:8000 IF 1:400-1:1600
Isotype: IgG2a	Calculated MW: 890 aa, 99 kDa	
Immunogen Catalog Number: AG25813	Observed MW: 130 kDa	

Applications

Tested Applications: IF, IHC, WB, ELISA	Positive Controls:
Cited Applications: WB	WB : HepG2 cells, Jurkat cells, MOLT-4 cells, K-562 cells
Species Specificity: Human, Rat, Mouse	IHC : human liver cancer tissue, rat skeletal muscle tissue
Cited Species: rat	IF : NIH/3T3 cells,
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

LPIN1, also named as KIAA0188, belongs to the lipin family. It is a magnesium-dependent phosphatidate phosphatase enzyme which catalyzes the conversion of phosphatidic acid to diacylglycerol during triglyceride, phosphatidylcholine and phosphatidylethanolamine biosynthesis and therefore controls the metabolism of fatty acids at different levels. LPIN1 has a molecular weight of about 99 kDa but predicted bands around 130 kDa. (PMID:20231281, PMID:29765047).

Notable Publications

Author	Pubmed ID	Journal	Application
Shuxuan Li	38141939	Eur J Pharmacol	WB

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 68124-1-ig (LPIN1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with Lamin B1 Monoclonal antibody (66095-1-ig) as loading control.



Immunohistochemical analysis of paraffin-embedded human liver cancer tissue slide using 68124-1-ig (LPIN1 antibody) at dilution of 1:4000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed NIH/3T3 cells using LPIN1 antibody (68124-1-ig, Clone: 3G11B10) at dilution of 1:800 and CoraLite@488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).