For Research Use Only

NDUFV2 Monoclonal antibody

Catalog Number: 68150-1-Ig



Basic Information

Catalog Number: GenBank Accession Number:

68150-1-lg BC001632 Protein G purification
Size: GeneID (NCBI): CloneNo.:

Size: GeneID (NCBI): CloneNo.: 150ul , Concentration: 1000 µg/ml by 4729 3B4A5

Nanodrop; Full Name: Recommended Dilutions:
Source: NADH dehydrogenase (ubiquinone) WB 1:5000-1:50000
Mouse flavoprotein 2, 24kDa IHC 1:500-1:2000

Isotype: Calculated MW:
IgG1 27 kDa
Immunogen Catalog Number: Observed MW:
AG7760 24-27 kDa

Applications

Tested Applications:

IHC, WB, ELISA
Species Specificity:

Human, Mouse, Rat, Rabbit, Pig, Chicken

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: Jurkat cells, chicken heart tissue, HeLa cells, pig brain tissue, rabbit brain tissue, rat brain tissue, mouse

Purification Method:

brain tissue

IHC: mouse heart tissue,

Background Information

The NDUFV2 gene encodes the 24-kD subunit of the mitochondrial NADH: ubiquinone oxidoreductase (complex I of the respiratory chain). The protein belongs to the complex I 24 kDa subunit family. It is the core subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I) that is believed to belong to the minimal assembly required for catalysis. NDUFV2 constitutes one genetic risk factor for PD, and the mutation may well be a cause of complex I deficiency in this disease(PMID:9570948).

Storage

Storage

Store at -20°C. Stable for one year after shipment.


Storage Buffe

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 68150-1-lg (NDUFV2 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Beta Actin Monoclonal antibody (HRP-66009) as loading control



chicken heart tissue were subjected to SDS PAGE followed by western blot with 68150-1-lg (NDUFV2 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 68150-1-Ig (NDUFV2 antibody) at dilution of 1:0 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 68150-1-Ig (NDUFV2 antibody) at dilution of 1:0 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).