For Research Use Only

## TPMT Monoclonal antibody

Catalog Number:68251-1-lg





Basic Information	Catalog Number: 68251-1-lg	GenBank Accession Number: BC005339	Purification Method: Protein A purification
	Size: 150ul, Concentration: 500 ug/ml by Nanodrop; Source: Mouse Isotype: IgG2a Immunogen Catalog Number: AG28693	GeneID (NCBI): 7172 UNIPROT ID: P51580 Full Name: thiopurine S-methyltransferase Calculated MW: 28 kDa Observed MW: 32 kDa	CloneNo.: 1D4B3 Recommended Dilutions: WB 1:5000-1:50000 IF/ICC 1:400-1:1600
Applications	Tested Applications: WB, IF/ICC, ELISA Species Specificity: Human	Positive Controls: WB : HeLa cells, HEK-293 cells, HepG2 cells, Jurkat cells, k-562 cells IF/ICC : HepG2 cells,	
Background Information	The TPMT gene is localized to chromosome 6p22.3 and is approximately 34 kDa in length. It has an open reading frame (ORF) of 735 bp that encodes for a 245-amino acid peptide. The wild type TPMT allele, expressing the enzyme with normal activity. To date, there have been 30 variant TPMT alleles described (PMID: 22493988). Thiopurine compounds are commonly used in the treatment of childhood acute lymphoblastic leukemia, and as immunosuppressants following organ transplantation or for treatment of various autoimmune disorders. Thiopurine S-methyltransferase (TPMT) is required for detoxification, through S-methylation, of 6-thioguanine nucleotides (TGNs), a byproduct of thiopurine metabolism. Catalog#10682-1-AP is a rabbit polyclonal antibody raised against the full-length of human TPMT. TPMT has a predicted molecular weight of 28 kDa, however, as a result of its phosphorylation it separates on a SDS gel as a band of approximately 28-32 kDa.		
Storage *** 20ul sizes contain 0.1% BSA	Storage: Store at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50 Aliquoting is unnecessary for -20°C s	% glycerol pH 7.3.	

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 68251-1-Ig (TPMT antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Alpha Tubulin Monoclonal antibody (HRP-66031) as loading control.

Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using TPMT antibody (68251-1-Ig, Clone: 1D4B3) at dilution of 1:800 and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L), CL594-phalloidin (red).