

For Research Use Only

IRSp53 Monoclonal antibody

Catalog Number: 68348-1-Ig



Basic Information

Catalog Number: 68348-1-Ig	GenBank Accession Number: BC014020	Purification Method: Protein G purification
Size: 150ul , Concentration: 1000 µg/ml by Nanodrop;	GeneID (NCBI): 10458	CloneNo.: 1D4G1
Source: Mouse	Full Name: BAI1-associated protein 2	Recommended Dilutions: WB 1:5000-1:50000
Isotype: IgG1	Calculated MW: 61 kDa	
Immunogen Catalog Number: AG25161	Observed MW: 53 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls: WB : rabbit brain tissue, LNCaP cells, rabbit cerebellum tissue, rat brain tissue, mouse brain tissue
Species Specificity: Human, Mouse, Rat, Rabbit	

Background Information

IRSp53 (also known as BAIAP2) is a multi-domain adaptor protein that originally identified as a 58/53-kDa substrate of insulin-receptor kinase in the hamster (PMID: 10332026). As a BAI1-binding protein, IRSp53 plays an important role in linking between membrane and cytoskeleton in the process of neuronal growth (PMID: 10343108). IRSp53 is necessary for Cdc42-mediated reorganization of the actin cytoskeleton and for Rac1-mediated membrane ruffling. Alternatively spliced isoforms of IRSp53 exist. IRSp53 has been implicated in several psychiatric disorders, including autism spectrum disorders (ASDs), schizophrenia, and attention deficit/hyperactivity disorder (ADHD) (PMID: 26275848).

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 68348-1-Ig (IRSp53 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.