

For Research Use Only

Estradiol Monoclonal antibody

Catalog Number: 68600-1-Ig



Basic Information

Catalog Number: 68600-1-Ig	GenBank Accession Number: GeneID (NCBI):	Purification Method: Protein G purification
Size: 150ul , Concentration: 1000 µg/ml by Nanodrop;	Full Name:	CloneNo.: 2E5E4
Source: Mouse		Recommended Dilutions: ELISA 1:5000-1:20000
Isotype: IgG1		

Applications

Tested Applications: ELISA	Positive Controls: ELISA : Estradiol,
Species Specificity: Estradiol	

Background Information

Estradiol is a naturally occurring hormone circulating endogenously in females. It is commercially available in several hormone therapy products for managing conditions associated with reduced estrogen, such as vulvovaginal atrophy and hot flashes. Some available forms of estradiol include oral tablets, injections, vaginal rings, transdermal patches, sprays, gels, and creams. This antibody can be used in the Elisa experiments.

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Indirect ELISA was performed by coating BSA-Estradiol ~30 ng/well (by Estradiol amount), followed by blocking with 1% BSA. Serial diluted Estradiol antibody 68600-1-Ig was added to the plates and incubated at 37°C. HRP-Goat anti-mouse was used for detection (top X-right Y, blue curve). Competitive ELISA was performed similarly except that different concentration of Estradiol was mixed in 30ng/mL primary antibody (bottom X-left Y,



BSA-Estradiol was coated in 96 well plate at ~30 ng/well (by Estradiol amount), followed by blocking with 1% BSA. Different concentrations of Estradiol standard as well as diluted urine from different donor were mixed with 30 ng/mL Estradiol antibody 68600-1-Ig respectively. Urine Estradiol was calculated based on standard curve. Please notice that the level from different donor might be different between individuals.