

For Research Use Only

INPP5E Monoclonal antibody, PBS Only



Catalog Number: 68602-1-PBS

Basic Information

Catalog Number: 68602-1-PBS	GenBank Accession Number: BC028032	Purification Method: Protein A purification
Size: 100ug , Concentration: 1 mg/ml by Nanodrop;	GeneID (NCBI): 56623	CloneNo.: 2B3D6
Source: Mouse	UNIPROT ID: Q9NRR6	
Isotype: IgG2a	Full Name: inositol polyphosphate-5-phosphatase, 72 kDa	
Immunogen Catalog Number: AG11959	Calculated MW: 644 aa, 70 kDa	
	Observed MW: 72 kDa	

Applications

Tested Applications:
WB, Indirect ELISA

Species Specificity:
Human

Background Information

INPP5E(72 kDa inositol polyphosphate 5-phosphatase) converts phosphatidylinositol 3,4,5-trisphosphate (PtdIns 3,4,5-P3) to PtdIns-P2. In mouse, highest protein expression was in brain, heart, and testis, with lower expression in thymus and lung, and very little expression in kidney, spleen, and liver(PMID:10764818). Defects in INPP5E are the cause of Joubert syndrome type 1 (JBTS1) and mental retardation-truncal obesity-retinal dystrophy-micropenis (MORMS)(PMID:19668215).

Storage


Storage:
Store at -80°C.

Storage Buffer:
PBS Only


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 68602-1-Ig (INPP5E antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 68602-1-PBS in a different storage buffer formulation.



Various lysates were subjected to SDS PAGE followed by western blot with 68602-1-Ig (INPP5E antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 68602-1-PBS in a different storage buffer formulation.



HaCaT cells were subjected to SDS PAGE followed by western blot with 68602-1-Ig (INPP5E antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 68602-1-PBS in a different storage buffer formulation.