

For Research Use Only

# ADAM17 Monoclonal antibody

Catalog Number: 68725-1-Ig



## Basic Information

<b>Catalog Number:</b> 68725-1-Ig	<b>GenBank Accession Number:</b> BC136783	<b>Purification Method:</b> Protein G purification
<b>Size:</b> 150ul , Concentration: 1000 ug/ml by Nanodrop;	<b>GeneID (NCBI):</b> 6868	<b>CloneNo.:</b> 2F4C2
<b>Source:</b> Mouse	<b>UNIPROT ID:</b> P78536	<b>Recommended Dilutions:</b> WB 1:2000-1:10000
<b>Isotype:</b> IgG1	<b>Full Name:</b> ADAM metalloproteinase domain 17	
<b>Immunogen Catalog Number:</b> AG34022	<b>Calculated MW:</b> 824 aa, 93 kDa	
	<b>Observed MW:</b> 90-110 kDa	

## Applications

<b>Tested Applications:</b> WB, ELISA	<b>Positive Controls:</b> WB : U2OS cells, NIH/3T3 cells, Calu-3 cells, A549 cells, HeLa cells
<b>Species Specificity:</b> Human, Mouse	

## Background Information

The ADAMs (A Disintegrin And Metalloprotease) are multidomain transmembrane proteins. One of the first ADAMs implicated in membrane shedding is ADAM-17, which is shown to release the active form of tumor necrosis factor (TNF)-α from its precursor (PMID:18238782). ADAM17 is also named as CSVP, TACE. The full length protein has 9 glycosylation sites, a signal peptide, propeptide and 2 isoforms produced by alternative splicing. The 120-kDa form of ADAM-17 is expressed more frequently and at higher levels in primary breast carcinomas compared with normal breast tissue (PMID:17438092).

## Storage


**Storage:**  
Store at -20°C. Stable for one year after shipment.  
**Storage Buffer:**  
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.  
**Aliquoting is unnecessary for -20°C storage**

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)  
E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 68725-1-Ig (ADAM17 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



NIH/3T3 cells were subjected to SDS PAGE followed by western blot with 68725-1-Ig (ADAM17 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.