For Research Use Only

PEX14 (human specific) Recombinant antibody

Catalog Number:80196-1-RR




Basic Information	Catalog Number:GenBank Accession Number:80196-1-RRBC006327		mber:	Purification Method: Protein A purification
	Size: 100ul , Concentration: 700 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG0932	GeneID (NCBI): 5195 UNIPROT ID: 075381 Full Name: peroxisomal biogenesis factor 14		CloneNo.: 6K5 Recommended Dilutions: WB 1:2000-1:14000 IHC 1:200-1:800 IF/ICC 1:50-1:500
		Applications	Tested Applications: WB, IHC, IF/ICC, FC (Intra), ELISA Species Specificity: human Note-IHC: suggested antigen r TE buffer pH 9.0; (*) Alternativ retrieval may be performed w buffer pH 6.0	cells IHC : human l retrieval with vely, antigen IF/ICC : HeLa
Background Information	PEX14 (peroxisomal biogenesis factor 14) is a peroxisomal membrane protein that is essential for protein docking onto the peroxisomes. It is a central component of the peroxisimal matrix protein import machinery and interacts with PEX5 and PEX19. PEX14 is ubiquitously expressed and defects in PEX14 are the cause of peroxisome biogenesis disorder complementation group K (PBD-CGK). This antibody can be used to detect endogenous PEX14 with an apparent molecular weight of 57 kDa (PMID: 16449325; 9653144) and recognize peroxisomal structures in human, monkey and mouse cells.			
	This antibody is specific to human PEX14. It can't detect mouse or rat PEX14.			
Storage	Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol, pH7.3			
*** 20ul sizes contain 0.1% BSA	Aliquoting is unnecessary for -20°C storage			

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 80196-1-RR (PEX14 (human specific) antibody) at dilution of 1:7000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 80196-1-RR (PEX14 (human specific) antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 80196-1-RR (PEX14 (human specific) antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using PEX14 (human specific) antibody (80196-1-RR, Clone: 6K5) at dilution of 1:200 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).



1X10^6 HeLa cells were intracellularly stained with 0.4 ug Anti-Human PEX14 (human specific) (80196-1-RR, Clone:6K5) and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgC(H+L) at dilution 1:1000 (red), or 0.4 ug Isotype Control. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Biolayer interferometry (BLL) kinetic assays of 80196-1-RR against PEX14 (human specific) were performed. The affinity constant is 0.613 nM.