For Research Use Only

S100A10 Recombinant antibody

Catalog Number:81017-1-RR



Basic Information

Catalog Number: GenBank Accession Number:

81017-1-RR BC015973 Protein A purification GeneID (NCBI): CloneNo.: 100ul, Concentration: 1000 ug/ml by 6281 8G23

Nanodrop: **UNIPROT ID:** Recommended Dilutions: P60903 WB 1:5000-1:50000 Rabbit IHC 1:1000-1:4000 Full Name:

Isotype: S100 calcium binding protein A10

IgG Calculated MW:

Immunogen Catalog Number: 11 kDa AG1779 Observed MW:

11 kDa

Applications

Tested Applications: WB, IHC, ELISA

Species Specificity: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen

retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: A431 cells, A549 cells, U2OS cells, HaCaT cells,

Purification Method:

human lung tissue

IHC: human colon tissue, mouse skin tissue, human pancreas cancer tissue, human lung cancer tissue,

mouse lung tissue

Background Information

S100A10, also known as p11, is a member of the S100 family of small, EF hand containing dimeric proteins. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100A10 is present on the surface of endothelial and other cells in a heterotetrameric complex with another Ca(2+)-binding protein, annexin II. S100A10 may function in exocytosis and endocytosis.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


*** 20ul sizes contain 0.1% BSA

in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data




A431 cells were subjected to SDS PAGE followed by western blot with 81017-1-RR (\$100A10 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human normal colon slide using 81017-1-RR (\$100A10 antibody) at dilution of 1:2000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 81017-1-RR (S100A10 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 81017-1-RR (\$100A 10 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Biolayer interferometry (BLL) kinetic assays of 81017-1-RR against Human S100A 10 were performed. The affinity constant is 24.5 nM.