

For Research Use Only

ZAK Recombinant antibody

Catalog Number: 81161-2-RR



Basic Information

Catalog Number:

81161-2-RR

Size:

100ul, Concentration: 1000 µg/ml by

Nanodrop;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG30599

GenBank Accession Number:

BC001401

GeneID (NCBI):

51776

UNIPROT ID:

Q9NYL2

Full Name:

sterile alpha motif and leucine zipper
containing kinase AZK

Calculated MW:

91 kDa

Observed MW:

91kDa, 51 kDa

Purification Method:

Protein A purification

CloneNo.:

250559E6

Recommended Dilutions:

WB: 1:2000-1:10000

Applications

Tested Applications:

WB, ELISA

Species Specificity:

human, mouse, rat

Positive Controls:

WB : HeLa cells, mouse skeletal muscle tissue, Jurkat
cells, MDA-MB-231 cells, HEK-293 cells, U2OS cells,
rat skeletal muscle tissue

Background Information

ZAK(sterile-alpha motif and leucine zipper containing kinase AZK) is also named as MLTK, MAPKKK, mlklak, MLK7, AZK, MLT, MRK, HCCS-4, MAP3K20 and belongs to the MAPKKK family. It is a mitogen-activated protein kinase kinase kinase (MAP3K) that activates the stress-activated protein kinase/c-jun N-terminal kinase pathway and activates NF-kappaB. ZAK contributes to regulation of DNA damage checkpoints through a p38 gamma-independent pathway. This protein has 3 isoforms produced by alternative splicing with the MW of 91 kDa (ZAK alpha), 51 kDa (ZAK beta) and 35 kDa.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech
Group brand and is not available to purchase from any
other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 81161-2-RR (ZAK antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 81161-2-RR (ZAK antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Biolayer interferometry (BLI) kinetic assays of 81161-2-RR against Human ZAK were performed. The affinity constant is 0.28 nM.