## For Research Use Only

## CD3 Recombinant antibody

Catalog Number:81324-1-RR

**Featured Product** 



**Basic Information** 

Catalog Number: GenBank Accession Number:

 81324-1-RR
 BC049847
 Protein A purification

 Size:
 GeneID (NCBI):
 CloneNo.:

 Size:
 Genel D (NCBI):
 CloneNo.:

 100ul , Concentration: 500 µg/ml by
 916
 4l19

Nanodrop;Full Name:Recommended Dilutions:Source:CD3e molecule, epsilon (CD3-TCRWB 1:5000-1:50000Rabbitcomplex)IHC 1:5000-1:20000

Isotype:Calculated MW:IgG207 aa, 23 kDaImmunogen Catalog Number:Observed MW:AG1179723-25 kDa

**Applications** 

Tested Applications:

IHC, WB, ELISA

Species Specificity: Human, Pig, Mouse, Rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

retrieval may buffer pH 6.0

Positive Controls:

WB: Jurkat cells, MOLT-4 cells, pig thymus tissue, rat

**Purification Method:** 

thymus tissue, mouse thymus tissue

IHC: human colon tissue,

## **Background Information**

CD3 is a complex of proteins that directly associates with the T cell receptor (TCR). The TCR/CD3 complex of T-lymphocytes consists of either a TCR alpha/beta or TCR gamma/delta heterodimer coexpressed at the cell surface with the invariant subunits of CD3 labeled gamma, delta, epsilon, zeta, and eta. The TCR recognizes antigens bound to major histocompatibility complex (MHC) molecules. TCR-mediated peptide-MHC recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction. CD3 is considered to be a pan-T cell marker for detection of normal and neoplastic T cells. This anti-CD3 is a monoclonal antibody directed against the epsilon chain of human CD3 molecule.

Storage

Storage

Store at -20°C. Stable for one year after shipment.


Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**




WB result of CD3 antibody (81324-1-RR; 1:60000; incubated at room temperature for 1.5 hours) with sh-Control and sh-CD3 transfected Jurkat cells.



Various lysates were subjected to SDS PAGE followed by western blot with 81324-1-RR (CD3E antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human colon tissue slide using 81324-1-RR (CD3 antibody) at dilution of 1:10000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human colon tissue slide using 81324-1-RR (CD3 antibody) at dilution of 1:10000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).