

For Research Use Only

# IKKB Recombinant monoclonal antibody, PBS Only

Catalog Number: 81370-2-PBS



## Basic Information

<b>Catalog Number:</b> 81370-2-PBS	<b>GenBank Accession Number:</b> BC006231	<b>Purification Method:</b> Protein A purification
<b>Size:</b> 100ug , Concentration: 1 mg/ml by Nanodrop;	<b>GeneID (NCBI):</b> 3551	<b>CloneNo.:</b> 250538G7
<b>Source:</b> Rabbit	<b>UNIPROT ID:</b> O14920	
<b>Isotype:</b> IgG	<b>Full Name:</b> inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase beta	
<b>Immunogen Catalog Number:</b> AG8191	<b>Calculated MW:</b> 756aa,81 kDa; 256aa,29 kDa	
	<b>Observed MW:</b> 80-85 kDa	

## Applications

**Tested Applications:**  
WB, Indirect ELISA

**Species Specificity:**  
human, mouse, rat

## Background Information

IKKB, also named as IKKB, IKK2, NFKB1B and IKK-B, belongs to the protein kinase superfamily, Ser/Thr protein kinase family and I-kappa-B kinase subfamily. IKKB is a Serine kinase that plays an essential role in the NF-kappa-B signaling pathway. It acts as part of the canonical IKK complex in the conventional pathway of NF-kappa-B activation and phosphorylates inhibitors of NF-kappa-B on 2 critical serine residues. In addition to the NF-kappa-B inhibitors, IKKB phosphorylates several other components of the signaling pathway including NEMO/IKBKG, NF-kappa-B subunits RELA and NFkB1, as well as IKK-related kinases TBK1 and IKBKE. It also phosphorylates other substrates including NCOA3, BCL10 and IRS1. Within the nucleus, IKKB acts as an adapter protein for NFKBIA degradation in UV-induced NF-kappa-B activation.

## Storage


**Storage:**  
Store at -80°C.

**Storage Buffer:**  
PBS only, pH7.3


For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)      E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 81370-2-RR (IKKB antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 81370-2-PBS in a different storage buffer formulation.



Biolayer interferometry (BLI) kinetic assays of 81370-2-RR against Human IKKB were performed. The affinity constant is below 1 pM.