For Research Use Only

Phospho-TAK1 (Thr187) Recombinant antibody

Catalog Number:81785-1-RR



Basic Information

Catalog Number: GenBank Accession Number:

81785-1-RR BC017715 Protein A purification
Size: GeneI D (NCBI): CloneNo.:

100ul , Concentration: 1000 µg/ml by 6885 206

Source: mitogen-activated protein kinase

Rabbit kinase kinase 7
Isotype: Calculated MW:

579 aa, 64 kDa Observed MW: 75-85 kDa

Applications

Tested Applications:

WB, ELISA

Species Specificity:

Human

IgG

WB: Calyculin A treated HEK-293 cells, Calyculin A

Purification Method:

Recommended Dilutions:

WB 1:20000-1:100000

treated HeLa cells

Positive Controls:

Background Information

MAP3K7(Mitogen-activated protein kinase kinase kinase 7) is also named TAK1 and belongs to the MAP kinase kinase kinase subfamily. It plays an important role in the cascades of cellular responses evoked by changes in the environment. It has been linked to interleukin-1 receptor and tumor necrosis factor receptor signaling (PMID: 16186825). It has 4 isoforms (53-55 kDa; 64-70 kDa and 75-80 kDa) produced by alternative splicing.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



Non-treated and Calyculin A treated HEK-293 cells were subjected to SDS PAGE followed by western blot with 81785-1-RR (Phospho-TAK1 (Thr187) antibody) at dilution of 1:100000 incubated at room temperature for 1 hour. The membrane was stripped and re-blotted with Alpha Tubulin antibody as loading control.