

For Research Use Only

Piezo1 (extracellular domain) Recombinant antibody, PBS Only



Catalog Number: 82625-4-PBS

Basic Information

Catalog Number: 82625-4-PBS	GenBank Accession Number: BC008073	Purification Method: Protein A purification
Size: 100ug, Concentration: 1 mg/ml by Nanodrop;	GeneID (NCBI): 9780	CloneNo.: 4B15
Source: Rabbit	UNIPROT ID: Q92508	
Isotype: IgG	Full Name: family with sequence similarity 38, member A	
Immunogen Catalog Number: AG7791	Calculated MW: 286 kDa	
	Observed MW: 233-286 kDa	

Applications

Tested Applications:
WB, IF, Indirect ELISA

Species Specificity:
Human

Background Information

Mechanotransduction, the conversion of mechanical force into biological signals, is a fundamental physiologic process of mammalian cells that influences many critical processes including embryonic development, tactile, pain, and auditory sensation, regulation of vascular tone, flow sensing in the kidney, and muscle and tendon stretch. FAM38A, also known as Piezo1, has recently been identified as a mechanotransduction protein that gets involved in mechanosensation and stretch-activated cation channel activation. Piezo1 also plays a key role in epithelial cell adhesion by maintaining integrin activation through R-Ras recruitment to the ER. Mutations in the gene encoding Piezo1 are associated with hereditary xerocytosis. Piezo1 also regulates extrusion to maintain homeostatic epithelial cell numbers. This antibody was raised against the extracellular domain of human Piezo1. (PMID: 20016066, 28416610)

Storage


Storage:
Store at -80°C.

Storage Buffer:
PBS Only


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 82625-4-RR (Ag7791 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 82625-4-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed THP-1 cells using Piezo1 (extracellular domain) antibody (82625-4-RR, Clone: 4B15) at dilution of 1:0 and Multi-rAb CoraLite® Plus 594-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR004). This data was developed using the same antibody clone with 82625-4-PBS in a different storage buffer formulation.