For Research Use Only

NCAM1/CD56 Recombinant antibody

Catalog Number:82715-1-RR

Featured Product

oroteintech Antibodies | ELISA kits | Uni-rAb www.ptglab.com

Basic Information

Catalog Number: 82715-1-RR Size: 100ul , Concentration: 500 ug/ml by Nanodrop: Source Rabbit Isotype lgG Immunogen Catalog Number: AG5528

GenBank Accession Number: BC047244 GenelD (NCBI): 4684 ENSEMBL Gene ID: ENSG00000149294 UNIPROT ID: P13591 Full Name: neural cell adhesion molecule 1 Calculated MW: 95 kDa

Observed MW:

120 kDa, 140 kDa, 180 kDa

Positive Controls:

IHC : mouse brain tissue,

1 Publications

Purification Method: Protein A purification CloneNo.: 6N11

Recommended Dilutions: WB 1:2000-1:10000 IHC 1:200-1:1000

WB: pig brain tissue, SH-SY5Y cells, U-251 cells, Neuro-

2a cells. C6 cells. mouse brain tissue, rat brain tissue

Applications

Tested Applications: WB, IHC, ELISA **Cited Applications:** IHC

Species Specificity: human, mouse, rat, pig **Cited Species:** human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Neural cell adhesion molecule 1 (NCAM1, also known as CD56) is a cell adhesion glycoprotein of the immunoglobulin (Ig) superfamily. It is a multifunction protein involved in synaptic plasticity, neurodevelopment, and neurogenesis. NCAM1 is expressed on human neurons, glial cells, skeletal muscle cells, NK cells and a subset of T cells, and the expression is observed in a wide variety of human tumors, including myeloma, myeloid leukemia, neuroendocrine tumors, Wilms' tumor, neuroblastoma, and NK/T cell lymphomas. Three major isoforms of NCAM1, with molecular masses of 120, 140, and 180 kDa, are generated by alternative splicing of mRNA (PMID: 9696812). The glycosylphosphatidylinositol (GPI)-anchored NCAM120 and the transmembrane NCAM140 and NCAM180 consist of five Ig-like domains and two fibronection-type III repeats (FNIII). All three forms can be posttranslationally modified by addition of polysialic acid (PSA) (PMID: 14976519). Several other isofroms have also been described (PMID: 1856291).


Notable Publications Author Pubmed ID Journal Application Yuanhua Lu 39722014 Mol Med IHC **Storage** Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol Aliquoting is unnecessary for -20°C storage *** 20ul sizes contain 0.1% BSA This product is exclusively available under Proteintech For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com

in USA), or 1(312) 455-8498 (outside USA)


W: ptglab.com

Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data




WB result of NCAM1/CD56 antibody (82715-1-RR; 1:5000; incubated at room temperature for 1.5 hours) with sh-Control and sh-NCAM1/CD56 transfected U-251 cells.




Various lysates were subjected to SDS PAGE followed by western blot with 82715-1-RR (NCAM1/CD56 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 82715-1-RR (NCAM1/CD56 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 82715-1-RR (NCAM1/CD56 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Biolayer interferometry (BLI) kinetic assays of 82715-1-RR against Human NCAM1 were performed. The affinity constant is 0.23 nM.