For Research Use Only

## LDLR Recombinant antibody

Catalog Number:82724-1-RR




Basic Information	Catalog Number: 82724-1-RR	GenBank Accession Number: BC014514	Purification Method: Protein A purification
	Size: 100ul , Concentration: 500 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG1236	GenelD (NCBI):	CloneNo.: 1011 Recommended Dilutions: WB 1:2000-1:10000 IHC 1:200-1:800 IF/ICC 1:50-1:500
Applications	Tested Applications: WB, IHC, IF/ICC, ELISA Species Specificity: human, mouse, rat Note-IHC: suggested antigen r TE buffer pH 9.0; (*) Alternati retrieval may be performed w buffer pH 6.0	WB : Hep tissue, ra IHC : mo retrieval with vely, antigen	Controls: G2 cells, HeLa cells, MCF-7 cells, mouse liver at liver tissue use brain tissue, HeLa cells,
Background Information	LDLR (low density lipoprotein receptor) is a member of the LDL receptor gene family and is involved in receptor- mediated endocytosis of specific ligands. The LDLR is a cell surface glycoprotein that scavenges LDL from the blood and regulates plasma LDL cholesterol. The cytoplasmic domain of the LDL receptor is necessary for the receptor to cluster in coated pits, which promotes the rapid endocytosis of bound LDL. The protein is highly glycosylated through N- and O-linkages and thus migrates at 100 to 160 kDa bands on SDS-PAGE.		
Storage *** 20ul sizes contain 0.1% BSA	Storage: Store at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50 Aliquoting is unnecessary for -20°C s	9% glycerol pH 7.3.	


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free<br/>in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 82724-1-RR (LDLR antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 82724-1-RR (LDLR antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 82724-1-RR (LDLR antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using LDLR antibody (82724-1-RR, Clone: 1011) at dilution of 1:200 and Multi-rAb CoraLite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002), CL594phalloidin (red).



Biolayer interferometry (BLI) kinetic assays of 82724-1-RR against Human LDLR were performed. The affinity constant is below 1 pM.