For Research Use Only

ADAMTS4 Recombinant antibody

Catalog Number:82744-2-RR



Purification Method:

Recommended Dilutions:

WB 1:1000-1:5000

Basic Information

Catalog Number: GenBank Accession Number:

82744-2-RR BC030812 Protein A purification Size: Genel D (NCBI): CloneNo.:

100ul , Concentration: 1000 µg/ml by 9507 4F9

Source: ADAM metallopeptidase with

Rabbit thrombospondin type 1 motif, 4
Isotype: Calculated MW:

Isotype: Calculated MW 837 aa, 90 kDa Immunogen Catalog Number: Observed MW: AG2443 90 kDa

Applications

Tested Applications: Positive Controls:

WB, ELISA WB: THP-1 cells, HEK-293T cells, SH-SY5Y cells, Caco-2

Species Specificity: cells, mouse brain tissue, rat brain tissue Human, Mouse, Rat

Background Information

The ADAMTS (a disintegrin-like and metalloproteinase with thrombospondin motifs) is a family of extracellular metalloproteinases mediating diverse functions including matrix degradation, blood coagulation and angiogenesis. The ADAMTS family constitutes a group of proteins composed of 19 enzymes and 7 ADAMTS-like proteins. ADAMTS4 is a well-known proteoglycanase and has angiomodulatory properties. The 837 amino acid long human ADAMTS4 protein contains a long signal peptide, a prodomain, a metalloproteinase catalytic domain with zinc-binding motif, a disintegrin-like domain, a central TSR motif, followed by a cysteine-rich region with ten conserved cysteine residues, and a spacer domain. The full-length proform human ADAMTS4 (zymogen form) has been described to be 90 kDa. In extracellular matrix (ECM), ADAMTS4 undergoes further C-terminal cleavage at Lys694-Phe695 and Thr581-Phe582, respectively, to generate two other truncated forms-53 and 40 kDa (PMID:12202483).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 82744-2-RR (ADAMTS4 antibody) at dilution of 1:2500 incubated at room temperature for 1.5 hours.