For Research Use Only

IL-22 Recombinant antibody, PBS Only (Detector)

Catalog Number:82766-11-PBS



Purification Method:

Protein A purification

CloneNo.:

240699A4

Basic Information

Catalog Number: 82766-11-PBS

Nanodrop:

Isotype:

IgG

GenBank Accession Number:

BC070261

GeneID (NCBI):

100ug, Concentration: 1 mg/ml by

50616

UNIPROT ID:

Source: Q9GZX6 Rabbit Full Name:

Calculated MW:

179 aa, 20 kDa

interleukin 22

Applications

Tested Applications:

Cytometric bead array, Sandwich ELISA, Indirect ELISA,

Sample test

Species Specificity:

human

Product Information

82766-11-PBS targets IL-22 as part of a matched antibody pair:

MP00657-2: 82766-12-PBS capture and 82766-11-PBS detection (validated in Cytometric bead array, Sandwich

Unconjugated rabbit recombinant monoclonal antibody in PBS only (BSA and azide free) storage buffer at a concentration of 1 mg/mL, ready for conjugation. Created using Proteintech's proprietary in-house recombinant technology. Recombinant production enables unrivalled batch-to-batch consistency, easy scale-up, and future

This conjugation ready format makes antibodies ideal for use in many applications including: ELISAs, multiplex assays requiring matched pairs, mass cytometry, and multiplex imaging applications. Antibody use should be optimized by the end user for each application and assay.

Storage


Storage:

Store at -80°C.


Storage Buffer:

PBS Only


Selected Validation Data




Sandwich ELISA standard curve of MP00657-2, Human IL-22 Recombinant Matched Antibody Pair-PBS only. 82766-12-PBS was coated to a plate as the capture antibody and incubated with serial dilutions of standard Eg0228. 82766-11-PBS was HRP conjugated as the detection antibody. Range: 3.91-250 pg/mL




Urine of eight individual healthy human donors was measured. The IL-22 concentration of detected samples was determined to be 2.8 pg/mL with a range of ND - 7.9 pg/mL



Human peripheral blood mononuclear cells (PBMC) were cultured unstimulated or stimulated with 10 µg/mL PHA for 5 days. The mean IL-22 concentration was not determined in unstimulated PBMC supernatant, 72.1 pg/mL in PHA stimulated PBMC supernatant.



Serum of eight individual healthy human donors was measured. The IL-22 concentration of detected samples was determined to be 8.9 pg/mL with a range of ND - 21.4 pg/mL



Cytometric bead array standard curve of MP00657-2, IL-22 Recombinant Matched Antibody Pair, PBS Only. Capture antibody: 82766-12-PBS. Detection antibody: 82766-11-PBS. Standard: Eg0228. Range: 0.313-40 ng/mL