For Research Use Only

Histone H3 Recombinant antibody, PBS Only

proteintech[®] Antibodies | ELISA kits | Proteins **Uni-rAb** www.ptglab.com


Catalog Number:82807-2-PBS

Basic Information	Catalog Number: 82807-2-PBS Size: 100ug , Concentration: 1mg/ml by Nanodrop; Source: Rabbit Isotype: IgG	GenBank Accession Number: BC066245 GeneID (NCBI): 8350 UNIPROT ID: P68431 Full Name: histone cluster 1, H3a Observed MW: 18 kDa	Purification Method: Protein A purification CloneNo.: 3D23
Applications	Tested Applications: WB, Indirect ELISA Species Specificity: human, mouse, rat		
Background Information	Histones are small, highly basic proteins that consist of a globular domain with unstructured N- and C-terminal tails protruding from the main structure. Histone H3 is one of the five main histones that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. In addition to their role in DNA compartmentalization, histones also play crucial roles in various biologic processes, including gene expression and regulation, DNA repair, chromatin condensation, cell cycle progression, chromosome segregation, and apoptosis. The ability of histones to regulate chromatin dynamics primarily originates from various posttranslational modifications carried out by histone-modifying enzymes.		
Storage	Storage: Store at -80°C. Storage Buffer: PBS only, pH7.3		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 82807-2-RR (HIST1H3A antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 82807-2-PBS in a different storage buffer formulation.