For Research Use Only

ICAM-1/CD54 Recombinant antibody

Catalog Number:82827-1-RR



Basic Information

Catalog Number: GenBank Accession Number:

82827-1-RR NM_010493 Protein A purification GeneID (NCBI): CloneNo.:

100ul, Concentration: 1000 ug/ml by 15894 2E23

Nanodrop: **UNIPROT ID:** Recommended Dilutions: Source: P13597 WB 1:5000-1:50000 Rabbit IHC 1:500-1:2000 Full Name:

Isotype: intercellular adhesion molecule 1

IgG Calculated MW:

> 59 kDa Observed MW: 85-110 kDa

Applications

Tested Applications:

WB, IHC, ELISA

Species Specificity: mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: mouse lung tissue, mouse spleen tissue, rat lung

Purification Method:

IHC: mouse lung tissue, mouse liver tissue

Background Information

ICAM-1 (CD54) is a transmembrane glycoprotein of the immunoglobulin superfamily and is critical for the firm attachment and transmigration of leukocytes out of blood vessels and into tissues (PMID: 19307690). ICAM-1 is expressed by several cell types, typically on endothelial cells and cells of the immune system, and its expression can be up-regulated by various stimuli, including TNF-a, INF-y, IL-1 and thrombin (PMID: 3086451; 9694714; 15979056). It is a ligand for LFA-1 and Mac-1, serves as a receptor for rhinovirus, and is one of several receptors used by Plasmodium falciparum (PMID: 2566624; 2538244; 2475784).

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


*** 20ul sizes contain 0.1% BSA

in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 82827-1-RR (ICAM-1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse lung tissue slide using 82827-1-RR (ICAM-1 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse lung tissue slide using 82827-1-RR (ICAM-1 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).