For Research Use Only

PARK7/DJ-1 Recombinant antibody

Catalog Number:82913-1-RR





| Basic Information | Catalog Number: 82913-1-RR | GenBank Accession Number: BC008188 | Purification Method: Protein A purification |
|---------------------------------|---|--|--|
| | Size: 100ul , Concentration: 1000 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG2287 | GeneID (NCBI): 11315 | CloneNo.: 230124E12 |
| | | UNIPROT ID: Q99497 | |
| | | Full Name: Parkinson disease (autosomal | |
| | | recessive, early onset) 7 | |
| | | Calculated MW: 189 aa, 20 kDa | |
| | | Observed MW: 20-25 kDa | |
| Applications | Tested Applications: FC (Intra), ELISA | | |
| | Species Specificity: human | | |
| Background Information | PARK7, also named as DJ1, belongs to the peptidase C56 family. It protects cells against oxidative stress and cell death. PARK7 plays a role in regulating expression or stability of the mitochondrial uncoupling proteins SLC25A14 and SLC25A27 in dopaminergic neurons of the substantia nigra pars compacta and attenuates the oxidative stress induced by calcium entry into the neurons via L-type channels during pacemaking. It eliminates hydrogen peroxide and protects cells against hydrogen peroxide-induced cell death. PARK7 has cell-growth promoting activity and transforming activity. It may function as a redox-sensitive chaperone. It's precursor undergoes a cleavage of a C-terminal peptide and subsequent activation of protease activity in response to oxidative stress. The amino acid replace at 166 (L \rightarrow P) reduces PARK7 protein stability and leads to increased degradation. The predicted MW of this protein is 20 kDa, An additional 25 kDa band can be observed due to modification (PMID: 31767755). | | |
| Storage | Storage: Store at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50 | | |
| *** 20ul sizes contain 0.1% BSA | Aliquoting is unnecessary for -20 $^\circ$ C s | torage | |

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1x10^6 HepG2 cells were intracellularly stained with 0.25 ug PARK7/DJ-1 Recombinant antibody (82913-1-RR, Clone:230124E12) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (red), or 0.25 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).

Biolayer interferometry (BLI) kinetic assays of 82913-1-RR against Human PARK7/DJ-1 were performed. The affinity constant is below 1 pM.