For Research Use Only

MAPKAPK2 Recombinant antibody

Catalog Number:82929-1-RR



Purification Method:

CloneNo.:

230197A9

WB 1:500-1:3000

IF/ICC 1:50-1:500

Protein A purification

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number:

82929-1-RR BC 036060 GeneID (NCBI):

100ul , Concentration: 300 µg/ml by 9261

Nanodrop: **UNIPROT ID:** P49137 Rabbit

Isotype: mitogen-activated protein kinaseactivated protein kinase 2 IgG

Immunogen Catalog Number: Calculated MW:

400 aa, 46 kDa AG34196

Observed MW: 42-46 kDa

Full Name:

Applications

Tested Applications:

WB, IF, ELISA

Species Specificity:

Positive Controls:

WB: A549 cells, HeLa cells, HEK-293T cells

IF/ICC: HeLa cells,

Background Information

MAPKAPK2(mitogen-activated protein kinase-activated protein kinase 2) is also named as MK2, MAPKAP-K2, MK-2 and belongs to the CAMK Ser/Thr protein kinase family. MAPKAPK2, one of several kinases directly phosphorylated and activated by p38 MAPK, plays a central role in the inflammatory response and is in the nucleus of unstimulated cells and moves rapidly to the cytoplasm after stimulation(PMID:12171911). It is also involved in many other cellular processes including stress responses, nuclear export, gene expression regulation and cell proliferation. Multiple residues of MAPKAPK2 are generally phosphorylated in vivo in response to stress, but only 4 $residues (Thr 25, Thr 222, Ser 272, and Thr 334) \ are \ phosphory lated \ by \ p38\ MAPK \ in \ vitro (PMID: 22351694). \ It \ has \ 2000 \ and \ 2000 \ are \ phosphory lated \ by \ p38\ MAPK \ in \ vitro (PMID: 22351694). \ It \ pas \ 2000 \ are \ phosphory \$ isoforms produced by alternative splicing and the range of the molecular weight is 42-60 kDa according to the references(PMID:10666409; 11328854;8995385).

Storage


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 82929-1-RR (MAPKAPK2 antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using MAPKAPK2 antibody (82929-1-RR, Clone: 230197A9) at dilution of 1:150 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).