## For Research Use Only

## FBXO32 Recombinant antibody

Catalog Number:82941-1-RR



**Purification Method:** 

Protein A purification

Recommended Dilutions:

CloneNo.:

230243H7

Positive Controls:

IF/ICC: C2C12 cells,

IHC: mouse skeletal muscle tissue,

IHC 1:50-1:500

IF/ICC 1:125-1:500

**Basic Information** 

Catalog Number: GenBank Accession Number:

82941-1-RR BC024030

GeneID (NCBI): 100ul, Concentration: 1000 ug/ml by 114907

Nanodrop: UNIPROT ID: Q969P5 Rabbit Full Name: Isotype: F-box protein 32

IgG Calculated MW: Immunogen Catalog Number: 355 aa, 42 kDa

AG29394

**Applications** 

**Tested Applications:** 

IHC, IF/ICC, FC (Intra), ELISA

Species Specificity:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

**Background Information** 

FBXO32 (F box only protein 32), also known as Atrogin 1 or MAFbx, is a member of the F-box protein family which is characterized by an approximately 40 amino acid motif F-box. This protein is an E3 ubiquitin ligase that is markedly up-regulated in muscle atrophy. FBXO32 is thus a potential drug target for the treatment of muscle atrophy. Some data support that FBXO32 may play an important role in tumorigenesis. Recent study reveal that FBXO32 targets the oncogenic protein c-Myc for ubiquitination and degradation through the proteasome pathway.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**




Immunofluorescent analysis of (4% PFA) fixed C2C 12 cells using FBXO32 antibody (82941-1-RR, Clone: 230243H7) at dilution of 1:250 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2).



Immunohistochemical analysis of paraffinembedded mouse skeletal muscle tissue slide using 82941-1-RR (FBXO32 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



1x10^6 U-251 cells were intracellularly stained with 0.25 ug Anti-Human FBXO32 (82941-1-RR, Clone:230243H7) and APC-Conjugated Affini Pure Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Rabbit IgG control Rabbit PolyAb (30000-0-AP) (blue). Cells were fixed and permeabilized with True-Nuclear Transcription Factor Buffer Set.



Biolayer interferometry (BLI) kinetic assays of 82941-1-RR against Human FBXO 32 were performed. The affinity constant is below 1 pM.