## For Research Use Only

## POU4F3 Recombinant antibody

Catalog Number:82980-1-RR



**Purification Method:** 

Recommended Dilutions:

WB 1:2000-1:12000

IHC 1:200-1:800

IF-P 1:175-1:700

IF/ICC 1:50-1:500

**Basic Information** 

Catalog Number: GenBank Accession Number:

82980-1-RR BC104923 Protein A purification GeneID (NCBI): CloneNo.:

100ul, Concentration: 600 ug/ml by 5459 230345F1

Nanodrop; UNIPROT ID: Source: Q15319 Rabbit Full Name:

Isotype: POU class 4 homeobox 3

IgG Calculated MW: Immunogen Catalog Number: 338 aa, 37 kDa AG16004

Observed MW: 33-40 kDa

**Applications** 

Storage

**Tested Applications:** 

WB, IHC, IF/ICC, IF-P, FC (Intra), ELISA

Species Specificity: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Positive Controls:

WB: Neuro-2a cells, mouse brain tissue


IHC: mouse brain tissue, IF-P: rat brain tissue, IF/ICC: U2OS cells,

\*\*\* 20ul sizes contain 0.1% BSA


in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 82980-1-RR (POU4F3 antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.




Immunofluorescent analysis of (4% PFA) fixed U2OS cells using POU4F3 antibody (82980-1-RR, Clone: 230345F1) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) (SA00013-1).




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 82980-1-RR (POU4F3 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



1x10^6 U-251 cells were intracellularly stained with 0.25 ug Anti-Human POU4F3 (82980-1-RR, Clone:230345F1) and APC-Conjugated Affini Pure Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Rabbit IgG Control Rabbit PolyAb (30000-0-AP) (blue). Cells were fixed and permeabilized with True-Nuclear Transcription Factor Buffer Set.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded rat brain tissue using POU4F3 antibody (82980-1-RR, Clone: 230345F1) at dilution of 1:350 and Multi-rAb CoraLite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Biolayer interferometry (BLI) kinetic assays of 82980-1-RR against Human POU4F3 were performed. The affinity constant is 0.234 nM.