For Research Use Only

UNC13A Recombinant antibody

Catalog Number:83000-5-RR




Basic Information	Catalog Number: 83000-5-RR	GenBank Accession Number: NM_001080421 GeneID (NCBI): 23025 UNIPROT ID: Q9UPW8 Full Name: unc-13 homolog A (C. elegans) Calculated MW: 193 kDa		Purification Method: Protein A purfication CloneNo.: 240017A6 Recommended Dilutions: WB 1:5000-1:50000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:500-1:2000					
	100ul, Concentration: 1000 ug/ml by Nanodrop; Source: Rabbit Isotype:								
					Observed MW: 193-210 kDa				
					Applications	Tested Applications:		Positive Controls:	
						WB, IHC, IP, ELISA Species Specificity:	WB : mou tissue		ıse brain tissue, rat brain tissue, pig brain
		human, mouse, rat, pig		IP : mouse bra		mouse brain tissue.			
Note-IHC: suggested antigen ru TE buffer pH 9.0; (*) Alternativ retrieval may be performed w buffer pH 6.0	vely, antigen	IHC : mouse brain tissue,							
Background Information	UNC13A, also named KIAA1032, belongs to the unc-13 family. It plays a role in vesicle maturation during exocytosi as a target of the diacylglycerol second messenger pathway. UNC13A is involved in neurotransmitter release by acting in synaptic vesicle priming prior to vesicle fusion and participates in the activity-dependent refilling of readily releasable vesicle pool (RRP). It is essential for synaptic vesicle maturation in most excitatory/glutamatergic but not inhibitory/GABA-mediated synapses. UNC13A is also involved in secretory granule priming in INS secretion. The antibody is specific to UNC13A.								
Storage	Storage: Store at -20°C. Stable for one year after Storage Buffer: PBS with 0.02% sodium azide and 50°								
	PD3 WITH 0.02% SOUTHIN azide and 50	70 glycerol pri 7.5.							


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 83000-5-RR (UNC 13A antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



IP result of anti-UNC 13A (IP:83000-5-RR, 4ug; Detection:83000-5-RR 1:1000) with mouse brain tissue lysate 2100 ug.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 83000-5-RR (UNC 13A antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 83000-5-RR (UNC 13A antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).