For Research Use Only

COPA Recombinant antibody, PBS Only

Catalog Number:83089-2-PBS



Purification Method:

Protein A purfication

CloneNo.:

230361B1

Basic Information

Catalog Number: GenBank Accession Number:

83089-2-PBS NM_004371

GeneID (NCBI): 100ug, Concentration: 1mg/ml by

Nanodrop; **UNIPROT ID:** P53621 Rabbit Full Name:

Isotype: coatomer protein complex, subunit

IgG alpha

Immunogen Catalog Number: Calculated MW: AG34207 138 kDa Observed MW:

150 kDa

Applications

Tested Applications:

WB, IHC, IF/ICC, FC (Intra), Indirect ELISA

Species Specificity: human, mouse

Background Information

COPA, also named HEP-COP and Alpha-COP, is coatomer subunit alpha. The coatomer is a cytosolic protein complex that binds to dilysine motifs and reversibly associates with Golgi non-clathrin-coated vesicles, which further mediate biosynthetic protein transport from the ER, via the Golgi up to the trans Golgi network. Coatomer complex is required for budding from Golgi membranes, and is essential for the retrograde Golgi-to-ER transport of dilysine-tagged proteins.

Storage


Storage: Store at -80°C. Storage Buffer: PBS Only

in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 83089-2-RR (COPA antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 83089-2-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using COPA antibody (83089-2-RR, Clone: 230361B1) at dilution of 1:250 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit 1gG(H+L) (SA00013-2). This data was developed using the same antibody clone with 83089-2-PBS in a different storage buffer formulation.



1x10^6 HeLa cells were intracellularly stained with 0.25 ug COPA Recombinant antibody (83089-2-RR, Clone:230361B1) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (5A00013-2) (red), or 0.25 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 83089-2-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human ovarian cancer slide using 83089-2-RR (COPA antibody) at dilution of 1:2000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 83089-2-PBS in a different storage buffer formulation.