## For Research Use Only

## TGN46 Recombinant antibody

Catalog Number:83099-2-RR



**Basic Information** 

Catalog Number: GenBank Accession Number:

83099-2-RR BC028219 GeneID (NCBI): Size: 100ul , Concentration: 1000 ug/ml by 10618

Nanodrop: **UNIPROT ID:** 043493 Rabbit

Full Name: Isotype: trans-golgi network protein 2

IgG Calculated MW: Immunogen Catalog Number: 447 aa, 47 kDa AG4470

Observed MW:

90-100 kDa

**Purification Method:** 

Protein A purification

CloneNo.: 230376D6

Recommended Dilutions:

WB 1:5000-1:50000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:1000-1:4000 IF/ICC 1:125-1:500

**Applications** 

**Tested Applications:** 

WB, IHC, IF/ICC, FC (Intra), IP, ELISA

Species Specificity:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: A549 cells, HeLa cells, PC-3 cells, PC-12 cells,

human kidney tissue

IP: HeLa cells,

IHC: human stomach cancer tissue,

IF/ICC: HeLa cells,

**Background Information** 

TGN46 (TGOLN2), the human homologue of rat Tgn38, is a transmembrane glycoprotein predominantly localized to the TGN (trans-Golgi network). TGN is a major secretory pathway sorting station for proteins and lipids. TGN46 may be involved in regulating membrane traffic to and from TGN. Alternatively spliced transcript variants encode different TGN46 isoforms. TGN46 has an apparent molecular mass of 100-150 kDa, suggesting extensive O- and Nglycosylations.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


\*\*\* 20ul sizes contain 0.1% BSA

in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 83099-2-RR (TGN46 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded stomach cancer slide using 83099-2-RR (TGN46 antibody) at dilution of 1:2000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunofluorescent analysis of (4% PFA) fixed HeLa cells using TGN46 antibody (83099-2-RR, Clone: 230376D6) at dilution of 1:250 and CoraLite®488-Conjugated Affini Pure Goat Anti-Rabbit IgG(H+L) (SA00013-2).




1x10^6 HepG2 cells were intracellularly stained with 0.4 ug TGOLN2,TGN46 Recombinant antibody (83099-2-RR, Clone:230376D6) and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit I gG(H+L) (SA00013-2)(red), or 0.4 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



IP result of anti-TGN46 (IP:83099-2-RR, 4ug; Detection:83099-2-RR 1:2000) with HeLa cells lysate 980 ug.



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using TGOLN2,TGN46 antibody (83099-2-RR, Clone: 230376D6) at dilution of 1:250 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



Biolayer interferometry (BLL) kinetic assays of 83099-2-RR against Human TGOLN2,TGN46 were performed. The affinity constant is 0.633 nM.