For Research Use Only

TNFR2 Recombinant antibody

Catalog Number:83101-1-RR





Basic Information	Catalog Number: 83101-1-RR	GenBank Accession Number: BC052977	Purification Method: Protein A purification
	Size: 100ul , Concentration: 1000 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG	GenelD (NCBI): 7133	CloneNo.: 23032886
		UNIPROT ID: P20333	Recommended Dilutions: WB 1:5000-1:50000
		Full Name: tumor necrosis factor receptor superfamily, member 1B Calculated MW: 48 kDa	
		Applications	Tested Applications: WB, ELISA Species Specificity: human
WB : U-93	7 cells, K-562 cells, THP-1 cells		
Background Information	Tumor necrosis factor-alpha (TNFA/TNFSF2) is a multifunctional cytokine that plays a key role in regulating inflammation, immune functions, host defense, and apoptosis (PMID: 16407280). TNFA signals through two distinct cell surface receptors, TNFR1 (TNFRSF1A, CD120a, p55) and TNFR2 (TNFRSF1B, CD120b, p75). TNFR1 is widely expressed, whereas TNFR2 exhibits more restricted expression, being found on CD4 and CD8 T lymphocytes, endothelial cells, microglia, oligodendrocytes, neuron subtypes, cardiac myocytes, thymocytes and human mesenchymal stem cells (PMID: 20489699; 22374304). In contrast to TNFR1, TNFR2 does not have a death domain. TNFR2 only signals for antiapoptotic reactions. However, recent evidence indicates that TNFR2 also signals to induce TRAF2 degradation (PMID: 22374304). Various defects in the TNFR2 pathway, due to polymorphisms in the TNFR2 gene, upregulated expression of TNFR2 and TNFR2 shedding, have been implicated in the pathology of several autoimmune disorders (PMID: 20489699).		
Storage	Storage: Store at -20°C. Stable for one year after Storage Buffer: PBS with 0.02% sodium azide and 50'		
	Aliquoting is unnecessary for -20°C s		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 83101-1-RR (TNFR2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.

Biolayer interferometry (BLL) kinetic assays of 83101-1-RR against Human TNFR2 were performed. The affinity constant is 0.43 nM.