## For Research Use Only

## SORBS2 Recombinant antibody

Catalog Number:83189-3-RR



**Purification Method:** 

**Basic Information** 

Catalog Number: GenBank Accession Number:

83189-3-RR BC011883 Protein A purfication

GeneID (NCBI): Size: CloneNo.: 100ul, Concentration: 1000 ug/ml by 8470 240023A8

Nanodrop: **UNIPROT ID:** Recommended Dilutions: 094875 WB 1:5000-1:50000 Rabbit IF/ICC 1:125-1:500 Full Name:

Isotype: sorbin and SH3 domain containing 2

IgG Calculated MW: Immunogen Catalog Number: 1100 aa, 124 kDa AG20041 Observed MW: 70-75 kDa

**Applications** 

**Tested Applications:** 

WB, IF/ICC, FC (Intra), ELISA WB: LO2 cells, HuH-7 cells Species Specificity: IF/ICC: U2OS cells,

## **Background Information**

SORBS2, also known as ARGBP2, has three C-terminal SH3 domains and an N-terminal sorbin homology (SoHo) domain that interacts with lipid raft proteins. SORBS2 is widely expressed in human tissues and extremely abundant in the heart. In epithelial cells SORBS2 is located in stress fibers and the nucleus; In cardiac muscle cells.  $SORBS2\ is\ located\ in\ the\ Z-disks\ of\ sarcomeres.\ The\ subcellular\ localization\ suggests\ that\ SORBS2\ functions\ as\ an$ adapter protein to assemble signaling complexes in stress fibers, and may influence the contractile or elastic properties of cardiac sarcomeres(PMID: 9211900). Alternate splicing results in multiple transcript variants( PMID: 28961272).

Positive Controls:

Storage

human

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 83189-3-RR (SORBS2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed U2OS cells using SORBS2 antibody (83189-3-RR, Clone: 240023A8) at dilution of 1:250 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



1x10^6 U2OS cells were intracellularly stained with 0.25 ug SORBS2 Recombinant antibody (83189-3-RR, Clone:240023A8) and APC-Conjugated Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Isotype Control (blue). Cells were fixed and permeabilized with True-Nuclear Transcription Factor Buffer Set.



Biolayer interferometry (BLI) kinetic assays of 83189-3-RR against Human SORBS2 were performed. The affinity constant is 0.433 nM.